



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

LOG M-01749 -- 2496

SEP 9 8 03 AM '99

FILE: 6446.4
LIBRARY: _____

George V. Voinovich
Governor

September 7, 1999

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: Approval for the Verification of Treatment Report for AIP II Trap Range Stabilization Project

Dear Mr. Reising:

This letter provides Ohio EPA approval of DOE's August 31, 1999 submittal, "Verification of Treatment Report for Area I, Phase II Trap Range Stabilization Project." Ohio EPA has the following comment which should be incorporated within the final document:

1) Commenting Organization: Ohio EPA Commentor: OFFO
Section #: 2.1 Pg #: 4 Line #: last sentence Code: C
Comment: This line incorrectly states that the Ohio EPA split three samples. Ohio EPA split 4 samples. Please correct.

If you have any questions, please contact Michelle Waller or me.

Sincerely,

Michelle Waller
for

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH

Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.
Manager, TPSS/DERR, CO

Q:\FEMP\OU5\A1P2\TREATRPT.APP



1